ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Product Service

C E R T I F I C A T E

No. B 096640 0046 Rev. 00

Holder of Certificate: **AXITEC Energy GmbH & Co. KG**
Otto-Lilienthal-Straße 5
71034 Böblingen
GERMANY

Certification Mark:

Product: **Batteries**
(Rechargeable Li-ion Battery System)

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier.
All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 64280246031001A

Valid until: 2030-08-07

Date, 2026-01-07

(Harry Zhang)

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Product Service

C E R T I F I C A T E

No. B 096640 0046 Rev. 00

Model(s):

AXIhycon ONE-8H-10, AXIhycon ONE-8H-15, AXIhycon ONE-8H-20, AXIhycon ONE-8H-25, AXIhycon ONE-8H-30, AXIhycon ONE-8H-35, AXIhycon ONE-10H-10, AXIhycon ONE-10H-15, AXIhycon ONE-10H-20, AXIhycon ONE-10H-25, AXIhycon ONE-10H-30, AXIhycon ONE-10H-35, AXIhycon ONE-12H-10, AXIhycon ONE-12H-15, AXIhycon ONE-12H-20, AXIhycon ONE-12H-25, AXIhycon ONE-12H-30, AXIhycon ONE-12H-35, AXIhycon ONE-15H-10, AXIhycon ONE-15H-15, AXIhycon ONE-15H-20, AXIhycon ONE-15H-25, AXIhycon ONE-15H-30, AXIhycon ONE-15H-35

Brand Name: **AXITEC**

Parameters:

Nominal voltage: AXIhycon ONE-8H-10: 204.8 Vd.c.;
AXIhycon ONE-8H-15: 307.2 Vd.c.;
AXIhycon ONE-8H-20: 409.6 Vd.c.;
AXIhycon ONE-8H-25: 512 Vd.c.;
AXIhycon ONE-8H-30: 614.4 Vd.c.;
AXIhycon ONE-8H-35: 716.8 Vd.c.;
AXIhycon ONE-10H-10: 204.8 Vd.c.;
AXIhycon ONE-10H-15: 307.2 Vd.c.;
AXIhycon ONE-10H-20: 409.6 Vd.c.;
AXIhycon ONE-10H-25: 512 Vd.c.;
AXIhycon ONE-10H-30: 614.4 Vd.c.;
AXIhycon ONE-10H-35: 716.8 Vd.c.;
AXIhycon ONE-12H-10: 204.8 Vd.c.;
AXIhycon ONE-12H-15: 307.2 Vd.c.;
AXIhycon ONE-12H-20: 409.6 Vd.c.;
AXIhycon ONE-12H-25: 512 Vd.c.;
AXIhycon ONE-12H-30: 614.4 Vd.c.;
AXIhycon ONE-12H-35: 716.8 Vd.c.;
AXIhycon ONE-15H-10: 204.8 Vd.c.;
AXIhycon ONE-15H-15: 307.2 Vd.c.;
AXIhycon ONE-15H-20: 409.6 Vd.c.;
AXIhycon ONE-15H-25: 512 Vd.c.;
AXIhycon ONE-15H-30: 614.4 Vd.c.;
AXIhycon ONE-15H-35: 716.8 Vd.c.

Rated capacity: 50 Ah

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

Product Service

C E R T I F I C A T E

No. B 096640 0046 Rev. 00

Tested according to: PPP 51094A:2022
VDE-AR-E 2510-50:2017

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®